



**elp**  
a brand of aebi schmidt

# Series 632

Snow plough



The Series 632 reversible ploughs feature a steel mold board with reversing push frame, dual cylinders for seamless left-to-right configuration, and a full trip moldboard for enhanced durability. A heavy-duty chain system ensures reliable up-down motion, adaptable to any plough hitch. It is equipped with a single full-length cutting edge for efficient performance.

## Highlights

- **Heavy duty construction:** Built for better durability, ensuring reliable performance in the toughest conditions.
- **Aggressive moldboard shape:** Designed for better snow ejection, maximizing efficiency and clearing capabilities.
- **Full trip moldboard:** Engineered for better obstacle management, reducing damage and increasing safety during operation.

## Your benefits

- **Enhanced durability:** The full trip moldboard and single full-length cutting edge ensure long-lasting performance and reliable operation.
- **Versatile configuration:** Dual cylinders and a heavy-duty chain system provide seamless left-to-right and up-down motion, adaptable to any plough hitch, for versatile and efficient ploughing.
- **User-friendly operation:** The Series 632 reversible ploughs are designed for easy one-person operation, allowing for quick and effortless mounting and dismounting, saving time and labor.

## Performance features

### Moldboard

The robust, full trip moldboard is crafted from strong steel, offering excellent corrosion resistance and superior abrasion and wear characteristics. It withstands extreme longitudinal and lateral forces, and features a single full-length cutting edge for efficient performance.



### Lifting & swivelling system

The heavy-duty chain system allows for up-down motion adaptable to any plough hitch, with infinite adjustment from 0-30 degrees, left or right. Two heavy-duty dual cylinders provide smooth adjustment whether the moldboard is raised, lowered, or under full load. The high-pressure construction enables the cylinders to withstand normal ploughing loads.



### Accessories

- Kerb stone protectors
- Rubber splash guard
- Plough markers



## Gallery



## Related products

### **Harness Series II**

Vehicle attachment



### **Harness Series III**

Vehicle attachment



## Technical data

### Construction

Number of blades	1
------------------	---

### Dimensions

Plough height	914 mm
Length at cutting edge	3,657 mm
Clearing width	3,048 mm at 30°
Total width	3,810 mm

### Weights

Approx. weight with steel cutting edges	1,103 kg
---	----------



© Aebi Schmidt Group  
[www.aebi-schmidt.com](http://www.aebi-schmidt.com)

Aebi Schmidt Holding AG  
CH-8050 Zurich, Switzerland

All rights reserved. Technical data is  
subject to change.  
Illustrations are not binding. Errors and  
amendments excepted.

Document created on 20 SEP 2024

